Babak Samimi, MD David Eldringhoff, MD Berkay Unal, MD

Omar Rahman, MD, MBA Parham Yashar, MD Elliot Bright, PA-C

Arash Yousefi, MD Elaine Chen, PA-C

Rehabilitation Protocol: Pectoralis Major Repair

Name:	:	Date:	
Diagno	osis: D	Pate of Surgery:	
Phase	I: 0-3 Weeks		
• • • Phase	Range of Motion: Supported pendulum exercises under guidance of PT		
• • • Phase	• Range of Motion: AAROM in the supine position with wand – Goal: Forward Flexion to 90 degrees		
	 Range of Motion: AROM in the pain free range - No PROM, AAROM (pulleys, supine wand, wall climb) Goals: Forward Flexion to 120 degrees and Abduction to 90 degrees, ER to tolerance, IR and Extension (wand behind the back) Therapeutic Exercises: Elbow and wrist active motion (with shoulder in neutral position at the side), hand exercises, submaximal isometrics 		
•			
•	 Range of Motion: Full ROM Therapeutic Exercises: Light Theraband (ER, Abduction, Extension) with increasing resistance, May star t light weight training at 4.5 months post-op (no flies or pull downs), Regular Push-Ups Return to athletics at 6 months postop 		
Commo	ents:		
Freque	ency: 2-3 times per week	Duration: 6-8 weeks	
Signatı	ure:	Date:	